


Manufacturer, Improter And Service Provider Of

- Honed Tubes
- Pre Honed Tubes
- Hydraulic Cylinder Tubes
- Burnished Tubes
- Ready To Honed Tubes
- Honing And Boring Services



COMPANY INTRODUCTION

ABOUT US

AMBICA HONE ENGINEERS Are Manufacturer And Supplier Of Honed Tubes, Pre Honed Tubes, Hone Tubes, Hydraulic Cylinder Tubes, Burnished Tubes, Seamless Honed Tubes, Honed Pipe, Hydraulic Tubes. Ever Since Our Establishment In The Year 2003, We Have 19 Year Experience We, Ambica Hone Engineers, Are Reckoned As The Most Sought-after Manufacturers And Suppliers Of Single Screw Barrel, Twin Screw Barrel, Honing Tube, Deep Hole Drilling And All Type Of Precision Honing Job Works Etc...These Tubes Are Manufactured Using High Grade Raw Material, Which Is Obtained From The Vendors Of High Repute, With The Aid Of Our Highly Adept Procurement Agents. Moreover, We Employ Latest Equipment And Technologies In Every Stage Of Production Process.

WHY CHOOSE US ?

We Have Achieved A Remarkable And Strong Position In The Market Due To Our Excellent Quality Range Of Products That We Provide In Several Specification.

Following Are The Some Of The Unique Reasons Due To Which We Have Achieved The Belief Of Our Valued Patrons

- Highly Experienced Professionals
- Timely Delivery
- Excellent Logistic Facility
- Client-centric Approach
- Fair Business Practice
- Qualitative Range Of Products
- Wide Distribution Network
- Positive Record

SEAMLESS HONED TUBE & READY TOHONE TUBE

We Have In Store For Our Clients, A Resilient Range Of Honed Tubes That Find Application In Pneumatic And Hydraulic Cylinders. Made Train Fine Quality Seamless Pipe Our Range Is Made Use Of In Several Industries And Machinery Including Earth Moving Machinery.

| | |
|---------------------------------|-----------------------|
| Material Grade | : DIN2391 BK + S ST52 |
| ID tolerance (Honed/SRB) | : H8 |
| Dimensions | : ID 32-ID600 |
| Length | : 3mtr - 6mtr |



HARD CHROME PLATED ROD

Hard Chrome Plated Shafts (hard Chrome Plated Bars) Are Designed To Meet Your Specific Needs For Piston Rod Material In Hydraulic And Pneumatic Cylinders And Other Applications. Most Advanced Techniques Of Surface Removal, Polishing And Hard Chrome Plating Are Used In Manufacturing The Above Bars.



| | |
|-------------------------------|---|
| Material grade | : EN8-D, CK45 standard available (EN-8/EN-19/EN-31/Others as per request). |
| Std size | : 06mm to 300 mm. |
| Std length | : 3mtr - 6mtr (can provide cut lengths as per customers request) |
| Chrome layer thickness | : O<20 mm: min, 15 micron O' 20 mm: min. 20 micron |
| Surface Roughness | : 0.2 RA |
| Surface Hardness | : Min 800HV |
| Straightness | : O 16 mm: max 0.3 mm/1000 mm O> 16 mm: max 0.2 mm/1000 mm |
| Od Tolerance | : f7/f8 |

INDUCTION HARDEN ROD

We Pride Ourselves On The Quality Of Our Products, Which Go Through A Highly Specific Production Process. Each Chrome Plated Rod We Ship Has Been Inspected To Meet Current Industry Standards For Tolerances. Induction Hardened Chrome Plated Steel Bars Are Produced By Using Advanced Techniques On Aisi 1045/1050 Steel Bars, For Surface Removal Polishing, Induction Hardening, And Then Hard Chrome Plating. The Finished Product Is A Superior Impact Resistant Bar Ideal For High Quality Piston Rods.

| | |
|-------------------------------|--|
| Material grade | : EN8-D, CK45 standard available (EN-8/EN-19/EX-3 Others as per request). |
| Std size | : 06 - 300 mm |
| Diameter tolerance | : ISO f7/f8 (other on request) |
| Roundness | : max. 1/2 from diameter tolerance |
| Standard length | : 3mtr- 7mt (can provide cut lengths as per customers request). |
| Surface roughness | : Ra: max. 0.20 sun |
| Hardness case depth | : 1.5 mm to 2.5 mm |
| Chrome layer thickness | : O < 20 mm: min, 15 micron O` 20 mm: min. 20 micron |
| Surface hardness | : min 800HV |
| Straightness | : O 16 mm: max 0.3 mm/1000 mm O > 16 mm: max 0.2 mm/1000 mm |
| Hardness | : 58±2HRC |



HONING MACHINE





We have 3 Honing Machine (Job Capacity)

(1) ID 25mm to 900mm and length - 2 meter

(2) ID 70mm to 500 and length - 4.5 meter

FINISHED PRODUCTS



OUR CUSTOMERS

rexroth
A Bosch Company



RAJLAXMI
ALL ABOUT HYDRAULICS


CANGOLD
ENGINEERS



ENERGYMISSION
MACHINERIES (INDIA) LTD.

HI-TECH ENGINEERS(GUJ.)PVT.LTD.
H-T


WINDSOR
Partner in Progress

EL
Erhardt+Leimer



Thank You

We at AMBICA HONE ENGINEERS genuinely appreciate your business and
We are grateful for the trust you've placed in us.
We hope you are satisfied with your purchase.

CONTACT US

Address :

Plot No - 19, Pushkar Industrial Estate Hub,
Torrent Power Compound, Opp. Machhunagar, Phase - 4,
G.I.D.C, Vatva, Ahmedabad - 382445, Gujarat, INDIA.

Contact no :

Narendra N Patel : +91 9979533250

Chintan M Patel : +91 9157573046


Email :

info@ambicahoneengineers.com

ambicahone37@gmail.com

Website :

www.ambicahoneengineers.com



COMMITTED TO QUALITY